


# *Pacific Coast Spine Institute and Pain Center*

17822 Beach Blvd Suite 101 Huntington Beach, CA 92647  
Phone (714) 847-3666 Fax (714) 847-7171

## **Celiac plexus block**

### **What is the problem?**

You have pain in your pancreas, liver, or rarely, your upper intestines. The pain involves the sympathetic nerves in this area. The sympathetic nerves control the things that we do not need to think about, such as digestion, blood pressure and heart rate. This group of nerves does not normally send pain messages, but they become 'switched-on' in certain conditions. We do not know why this happens, but have learned to recognize the times when it does.



---

Pain from the sympathetic nerves does not respond to the usual painkillers that we may use for simple pain, like a headache. Neither does it respond well to stronger painkillers, such as those used for a broken bone. Sympathetic pain seems to be present all the time, sometimes getting worse and sometimes easing off. The pain may be affected by heat or cold and may therefore change with the weather. When the pain is in the stomach it may be related to eating and digestion.

The pain from the celiac plexus is a pain that is present in the upper abdomen, under the ribs. It often feels as if it passes straight through to the back. The pain can be described as being sharp, stabbing or shooting. Unfortunately, there is no exact test to confirm the diagnosis. The doctor must recognize a pattern in the description of the pain.

Injecting local anesthetic around the sympathetic nerves in the celiac plexus should reduce your pain.

### **What is the celiac plexus?**

A 'plexus' is a bundle of nerves that come together, sending out many branches and communications. In this case, the sympathetic nerves go to the pancreas, liver and upper intestines all come together around a large blood vessel. This blood vessel is called the celiac artery; hence the name celiac plexus.

17742 Beach Blvd #355  
Huntington Beach, CA 92647  
(714) 847-3666


31852 Coast Hwy #200  
Laguna Beach, CA 92651  
(949) 499-7000

Fax (714) 847-7171

# *Pacific Coast Spine Institute and Pain Center*

17822 Beach Blvd Suite 101 Huntington Beach, CA 92647  
Phone (714) 847-3666 Fax (714) 847-7171


The celiac plexus is close to the spine at the level of your umbilicus, which is commonly known as the belly button.



---

## **What is a celiac plexus block?**

A celiac plexus block is an injection of local anesthetic around the celiac plexus. Pain from the upper part of the abdomen can send pain messages through this point. The organs involved are usually the pancreas, liver, or rarely, the upper intestines.



By injecting local anesthetic and sometimes anti-inflammatory steroids around this place, the pain messages can be blocked and the pain reduced. The injection is given from the back.

If required, only a small amount of steroid is needed. It will not cause any of the side effects sometimes associated with taking steroids. They are not the same kind of steroids that athletes may take.

17742 Beach Blvd #355  
Huntington Beach, CA 92647  
(714) 847-3666

31852 Coast Hwy #200  
Laguna Beach, CA 92651  
(949) 499-7000

Fax (714) 847-7171

# *Pacific Coast Spine Institute and Pain Center*

*17822 Beach Blvd Suite 101 Huntington Beach, CA 92647  
Phone (714) 847-3666 Fax (714) 847-7171*

## **What has gone wrong?**

The sympathetic nerves have started sending pain messages. It is not at all clear why this happens. It is known that by blocking the activity of the sympathetic nerves the pain can be reduced.

## **The aims**

The aim of the procedure is to reduce the signals sent by the sympathetic nerves and hence reduce the pain.

## **The benefits**

Your pain should be reduced, so you should be able to move around more easily. If successful, the block can avoid the need for medications, or at least reduce the number of medications you need to take.

## **Are there any alternatives?**

By the time you have the celiac plexus block you should have already tried other more simple treatments. These include rest, painkilling and anti-inflammatory medications, and perhaps very strong painkillers, such as morphine.

## **What if you do nothing?**

If you do nothing there are several things that may happen:

- With time and rest the pain may settle on its own
- The pain and difficulty in performing daily activities may remain the same
- The pain may increase and spread
- You may not feel like eating and lose weight
- The pain may make all activities, including sleeping, more difficult

## **Who should have it done?**

The following groups of patients should have the procedure done:

- Patients with pain in the area covered by the celiac plexus, including the pancreas, liver and upper intestines, that has failed to respond to standard treatments
- Patients with pain in the area covered by the celiac plexus, with symptoms suggesting that the sympathetic nerves are involved

*17742 Beach Blvd #355  
Huntington Beach, CA 92647  
(714) 847-3666*

*31852 Coast Hwy #200  
Laguna Beach, CA 92651  
(949) 499-7000*

*Fax (714) 847-7171*

# *Pacific Coast Spine Institute and Pain Center*

*17822 Beach Blvd Suite 101 Huntington Beach, CA 92647*

*Phone (714) 847-3666 Fax (714) 847-7171*

## **Who should not have it done?**

Each patient has the final decision on whether to proceed or not. If you are unhappy about the procedure for any reason you should not continue. There are specific medical situations when a celiac plexus block should not be done and they are as follows:

- When a patient is on medication that prevents blood from clotting, such as warfarin. This would lead to more bleeding than normal. It may be possible to stop the medication a few days before the procedure. This will need to be discussed with your doctor
- When a patient is suffering from an illness that prevents blood from clotting, such as hemophilia. This would also lead to more bleeding than normal
- When there is infection of the skin over the site where the needle needs to be put in; this could lead to further infection in the deeper tissues and possibly blood poisoning
- When a patients has diseased tissue around the celiac plexus; this could lead to a spread of the disease

*17742 Beach Blvd #355  
Huntington Beach, CA 92647  
(714) 847-3666*

*31852 Coast Hwy #200  
Laguna Beach, CA 92651  
(949) 499-7000*

*Fax (714) 847-7171*